

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name Nafuflex Basic 1

· Article number: 1372

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Bitumen high build coating

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

partment: msds@mc-bauchemie.de

1.4 Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining

components of labelling: 2-methyl-2H-isothiazol-3-one 2-octyl-2H-isothiazol-3-one

(Contd. on page 2)



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 1)

Rosin

1,2-benzisothiazol-3(2H)-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

(3:1)

· **Hazard statements** H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information: Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-

methyl-2H-isothiazol-3-one, 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]

and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous component	S.:	
CAS: 8052-42-4 EINECS: 232-490-9	Asphalt substance with a Community workplace exposure limit	30-60%
CAS: 8050-09-7 EINECS: 232-475-7	Rosin Skin Sens. 1, H317	<i>≥</i> 0.1-<0.5%
CAS: 1314-13-2 EINECS: 215-222-5	Zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025-<0.25%
		(Contd. on page 3)

Contd. on page 3



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

CAS: 1219010-04-4	N-C16-18 (even numbered) and C18	(Contd. of pag <0.025%
EC number: 629-719-3 Reg.nr.: 01-2119487014-41	(unsaturated) alkyl propane-1,3-diamine STOT RE 1, H372; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 %	<0.025%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	≥0.0015-<0.025
CAS: 13463-41-7 EINECS: 236-671-3	pyrithione zinc Acute Tox. 3, H301; Acute Tox. 2, H330; Repr. 1B, H360D; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=10) ATE: LD50 oral: 221 mg/kg LC50/4 h inhalative: 0.14 mg/l	<i>≥</i> 0.0025-<0.025

GB



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	(Contd. of page ≥0.0015-<0.0025
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. $1A$; H317: $C \ge 0.0015$ %	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6$ % Skin Irrit. 2; H315: 0.06 % ≤ $C < 0.6$ % Eye Dam. 1; H318: $C \ge 0.6$ % Skin Sens. 1A; H317: $C \ge 0.0015$ %	<0.00025%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information No special measures required.

· After inhalation Supply fresh air.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

• After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

(Contd. on page 5)



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 4)

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 12

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 8052-42-4 Asphalt

WEL Short-term value: 10 mg/m³

Long-term value: 5 mg/m³

CAS: 8050-09-7 Rosin

WEL | Short-term value: 0.15 mg/m³

Long-term value: 0.05 mg/m³

Sen

• Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 6)



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 5)

8.2 Exposure controls
Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

· Breathing equipment: Only during spraying without adequate removal by suction.

Short term filter device:

Filter A/P2.

· Hand protection Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to

improve the wearability.

Material of gloves Nitrile rubber, NBR

Penetration time of glove

material

· Eye/face protection Not required.

Body protection: Impervious protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Dark brown
 Smell: Fish-like
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flash point: Not applicable

pH at 20 °C 8.5-9

Viscosity:

· Kinematic viscosity
· dynamic:

Not determined.

Not determined.

Solubility

· Water: Fully miscible

• Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Density and/or relative density

Density at 20 °C 0.7 g/cm³

· 9.2 Other information

· Appearance:

· Form: Viscous

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

(Contd. on page 7)



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 6)

Explosive properties:	Product is not explosive.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 8052-42-4 Asphalt

Dermal LD50 >2000 mg/kg (rabbit)

NOAEL 2000 mg/kg (rabbit)

Inhalative NOAEL 103.9 mg/l (rat)

(Contd. on page 8)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

CAS: 805	0-09-7 Ro	(Contd. of		
Oral	LD50	>2500 mg/kg (Meerschweinchen)		
Orar	LDOO	>3000 mg/kg (mouse)		
		>2000 mg/kg (mouse)		
Dermal	LD50	2000 mg/kg (rabbit)		
CAS: 1219010-04-4 N-C16-18 (even numbered) and C18 (unsaturated) alkyl propane-				
		diamine		
Oral	LD50	500 mg/kg (rat)		
	NOAEL	0.4 mg/kg (rat)		
CAS: 2634	4-33-5 1,2·	-benzisothiazol-3(2H)-one		
Oral	LD50	1020 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
CAS: 268	2-20-4 2-n	nethyl-2H-isothiazol-3-one		
Oral	LD50	50-300 mg/kg (rat)		
Inhalative	LC50/4 h	0.11 mg/l (rat)		
CAS: 134	63-41-7 py	yrithione zinc		
Oral	LD50	221 mg/kg (ATE)		
Inhalative	LC50/4 h	0.14 mg/l (ATE)		
CAS: 265	30-20-1 2-	octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)		
		500 mg/kg (rat)		
Dermal	LD50	311 mg/kg (ATE)		
		>2000 mg/kg (rat)		
Inhalative	LC50/4 h	0.27 mg/l (ATE)		
		0.6 mg/l (rat)		
CAS: 559		action mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-		
		and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
	LD50	49.6-75 mg/kg (rat)		
	LD50	87.12 mg/kg (rabbit)		
		0.171 mg/l (rat)		
Skin corre		,		
Respirato sensitisat		May cause an allergic skin reaction.		
Germ cell				
Carcinoge		Based on available data, the classification criteria are not met		
Reproductive toxicity				
STOT-sin				
STOT-rep				
A	n hazard ์	Based on available data, the classification criteria are not met		



Page 9/12

(Contd. of page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· 12.1 Toxio	-		
•	· Aquatic toxicity:		
CAS: 8052	2-42-4 Asphalt		
EC50/72h	>1000 mg/l (algae)		
LC50/96h	0.002 mg/l (Coregonus clupeaformis)		
	>1000 mg/l (fish)		
EC50	0.062 mg/l (Gammarus pseudolimnaeus)		
LC50/48h	>1000 mg/l (Daphnien)		
NOEC	>1000 mg/l (Daphnien)		
CAS: 8050	0-09-7 Rosin		
	>1000 mg/l (Daphnia magna)		
CAS: 1219	9010-04-4 N-C16-18 (even numbered) and C18 (unsaturated) alkyl propane-1,3-		
1.050/0.41	diamine		
	0.148 mg/l (fish)		
EC50	0.29 mg/l (Daphnia magna)		
NOEC	>0.01 mg/l (algae)		
	4-33-5 1,2-benzisothiazol-3(2H)-one		
EC50/72h	0.067 mg/l (Pseudokirchneriella subcapitata)		
	0.11 mg/l (Selenastrum capricornutum)		
	1.6 mg/l (Oncorhynchus mykiss)		
	1.1 mg/l (Daphnia magna)		
	2-20-4 2-methyl-2H-isothiazol-3-one		
	0.157 mg/l (Pseudokirchneriella subcapitata)		
	6 mg/l (Oncorhynchus mykiss)		
	1.68 mg/l (Daphnies)		
	63-41-7 pyrithione zinc		
	0.067 mg/l (Selenastrum capricornutum)		
	0.15 mg/l (Oncorhynchus mykiss)		
	0.05 mg/l (Daphnies)		
	30-20-1 2-octyl-2H-isothiazol-3-one		
EC50/48h	0.42 mg/l (Daphnien)		

(Contd. on page 10)



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

(Contd. of page 9)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/24h | 0.19 mg/l (fish)

EC50/72h | 0.027 mg/l (Pseudokirchneriella subcapitata)

LC50/96h | 0.19 mg/l (Oncorhynchus mykiss)

LC50/48h | 0.28 mg/l (fish)

EC50/48h | 0.16 mg/l (Daphnia magna)

NOEC 0.02 mg/l (Oncorhynchus mykiss)

0.00049 mg/l (Ske)

0.1 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

Additional ecological information:

· General notes: Danger to drinking water if even extremely small quantities leak

into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

(Contd. on page 11)



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

	(Contd. of page
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the abov specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

CAS: 1310-73-2 sodium hydroxide

12% of total caustic alkalinity

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H301 Toxic if swallowed.

(Contd. on page 12)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 37 (replaces version 36) Revision: 24.02.2024

Trade name Nafuflex Basic 1

		(Contd. of page 11)	
	H302	Harmful if swallowed.	
	H310	Fatal in contact with skin.	
	H311	Toxic in contact with skin.	
	H314	Causes severe skin burns and eye damage.	
	H315	Causes skin irritation.	
	H317	May cause an allergic skin reaction.	
	H318	Causes serious eye damage.	
	H319	Causes serious eye irritation.	
	H330	Fatal if inhaled.	
	H360D	May damage the unborn child.	
		•	
	H372	Causes damage to organs through prolonged or repeated exposure.	
	H400	Very toxic to aquatic life.	
	H410	Very toxic to aquatic life with long lasting effects.	
		Corrosive to the respiratory tract.	
		contonio to the respiratory tract.	
· Department issuing data			
specification sheet:	Environn	nent protection department.	
· Abbreviations and acronyms:	ms: RID: Règlement international concernant le transport des marchand		
<u>-</u>	•	ses par chemin de fer (Regulations Concerning the International	
		of Dangerous Goods by Rail)	
	ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par		
		opean Agreement Concerning the International Carriage of Dangerous	
	Goods by Road)		
	IMDG: International Maritime Code for Dangerous Goods		
	IATA: International Air Transport Association		
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals		
	EINECS: European Inventory of Existing Commercial Chemical Substances		
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)		
	LC50: Lethal concentration, 50 percent		
		nal dose, 50 percent	
		istent, Bioaccumulative and Toxic	
		Persistent and very Bioaccumulative	
		e toxicity estimate values	
		3: Acute toxicity – Category 3 4: Acute toxicity – Category 4	
		2: Acute toxicity – Category 2	
		1: Skin corrosion/irritation – Category 1	
		1B: Skin corrosion/irritation – Category 1B	
		1C: Skin corrosion/irritation – Category 1C	
		2: Skin corrosion/irritation – Category 2	
		1: Serious eye damage/eye irritation – Category 1 1: Skin sensitisation – Category 1	
		1A: Skin sensitisation – Category 1A	
		Reproductive toxicity – Category 1B	
	STOT RE	1: Specific target organ toxicity (repeated exposure) – Category 1	
	,	cute 1: Hazardous to the aquatic environment - acute aquatic hazard –	
	Category 1		
		hronic 1: Hazardous to the aquatic environment - long-term aquatic	
	hazard – C	hronic 3: Hazardous to the aquatic environment - long-term aquatic	
	hazard – C		

* * Data compared to the previous version altered. hazard – Category 3